

KIOSKS - FREESTANDING

EMPTY, POPULATED, ACCESSORIES

548 Nicola Place
Port Coquitlam, BC
V3B 0K4, Canada

Main Tel: 604-540-0011
Fax: 604-540-0033
Toll Free: 1-888-222-2633

Email: sales@codeelectric.com
orderentry@codeelectric.com

www.codeelectric.com

THE COMPANY: CODE ELECTRIC PRODUCTS LTD.

CODE Electric Products Limited. Your source of precision sheet metal fabrication.

Founded in 1979, CODE Electric has grown in size and capabilities over the past years. CODE is a British Columbia owned and operated company that produces CSA certified, quality enclosures. Our 50,000 sq. ft. warehouse and manufacturing facility is fully equipped to deliver a wide range of stock and custom enclosures in a timely manner.

MANUFACTURERS OF CSA RATED ENCLOSURES:

- 1, 3, 3R, 4, and 4x

FULL LINE OF ENCLOSURES INCLUDES:

- Custom enclosures
- Pull Boxes
- Splitters, Bus Gutters & Lugs
- BC Hydro, Fortis & Utility
- Gang Boxes & Covers
- Telephone & Cablevision
- Kiosk - Power Distribution
- Wired Products
- Pedestals
- Accessories



ADDRESS

548 Nicola Place
Port Coquitlam, BC
V3B 0K4, Canada

PHONE

Main Tel: 604-540-0011
Toll Free: 1-888-222-2633
Fax: 604-540-0033

EMAIL

sales@codeelectric.com
orderentry@codeelectric.com



www.CODEELECTRIC.com

We partner with our customers to manufacture metal solutions from design to delivery


SINGLE DOOR KIOSK - STEEL/STAINLESS/ALUMINUM - CSA 3R

Padmount - Freestanding

CSA 3R rated enclosure, used when a degree of protection is required for equipment installed outdoors, away from a structure. Free standing, open bottom design allows for mounting over top of existing equipment or as part of a new project. Suitable for a variety of uses including power distribution, controls, marina, parking lot, campground, works yards etc.

Standard enclosure includes:

- CSA 3R Construction
- Cross Brake Roof With Rain Gutter
- Open Bottom
- Hinged Door With Hidden Hinges
- Stainless Steel, Pad lockable Handle
- Lifting Tabs
- Mechanical Door Stay
- Galvanized Steel Backpan
- Powder Coated ASA61 Grey



Steel Painted	Aluminum	Stainless Steel	H	W	D
K-SD-3R-S-422412	K-SD-3R-A-422412	K-SD-3R-SS-422412	42	24	12
K-SD-3R-S-423612	K-SD-3R-A-423612	K-SD-3R-SS-423612	42	36	12
K-SD-3R-S-423016	K-SD-3R-A-423016	K-SD-3R-SS-423016	42	30	16
K-SD-3R-S-423616	K-SD-3R-A-423616	K-SD-3R-SS-423616	42	36	16
K-SD-3R-S-482412	K-SD-3R-A-482412	K-SD-3R-SS-482412	48	24	12
K-SD-3R-S-483012	K-SD-3R-SA483012	K-SD-3R-SS-483012	48	30	12
K-SD-3R-S-483612	K-SD-3R-A-483612	K-SD-3R-SS-483612	48	36	12
K-SD-3R-S-482416	K-SD-3R-A-482416	K-SD-3R-SS-482416	48	24	16
K-SD-3R-S-483016	K-SD-3R-A-483016	K-SD-3R-SS-483016	48	30	16
K-SD-3R-S-483616	K-SD-3R-A-483616	K-SD-3R-SS-483616	48	36	16
K-SD-3R-S-483624	K-SD-3R-A-483624	K-SD-3R-SS-483624	48	36	24
K-SD-3R-S-603612	K-SD-3R-A-603612	K-SD-3R-SS-603612	60	36	12
K-SD-3R-S-603618	K-SD-3R-A-603618	K-SD-3R-SS-603618	60	36	18
K-SD-3R-S-603624	K-SD-3R-A-603624	K-SD-3R-SS-603624	60	36	24
K-SD-3R-S-723612	K-SD-3R-A-723612	K-SD-3R-SS-723612	72	36	12
K-SD-3R-S-723618	K-SD-3R-A-723618	K-SD-3R-SS-723618	72	36	18
K-SD-3R-S-723624	K-SD-3R-A-723624	K-SD-3R-SS-723624	72	36	24

Custom sizes available.


Padmount - Freestanding

CSA 3R rated marine grade aluminum enclosure, used when a degree of protection is required for equipment installed outdoors, away from a structure. Free standing, open bottom design allows for mounting over top of existing equipment or as part of a new project. Suitable for a variety of uses including power distribution, controls, marina, parking lot, campground, works yards etc.

Standard enclosure includes:

- Cross Brake Roof With Rain Gutter
- Open Bottom
- Hinged Doors In Master/Slave Configuration With Hidden Hinges
- No Centre Bar
- Stainless Steel, Pad lockable Handle
- Lifting Tabs
- Mechanical Door Stays
- Galvanized Steel Backpan
- Powder Coated ASA61 Grey

Aluminum	H	W	D
K-DD-3R-A-484812	48	48	12
K-DD-3R-A-484818	48	48	18
K-DD-3R-A-484824	48	48	24
K-DD-3R-A-604812	60	48	12
K-DD-3R-A-604818	60	48	18
K-DD-3R-A-604824	60	48	24
K-DD-3R-A-606012	60	60	12
K-DD-3R-A-606018	60	60	18
K-DD-3R-A-606024	60	60	24
K-DD-3R-A-724812	72	48	12
K-DD-3R-A-724818	72	48	18
K-DD-3R-A-724824	72	48	24
K-DD-3R-A-726012	72	60	12
K-DD-3R-A-726018	72	60	18
K-DD-3R-A-726030	72	60	30
K-DD-3R-A-727230	72	72	30
K-DD-3R-A-846024	84	60	24
K-DD-3R-A-846030	84	60	30
K-DD-3R-A-847224	84	72	24
K-DD-3R-A-847230	84	72	30
K-DD-3R-A-848424	84	84	24
K-DD-3R-A-848430	84	83	30



DOUBLE DOOR KIOSK - PAINTED STEEL - CSA 3R


Padmount - Freestanding

CSA 3R rated steel enclosure, used when a degree of protection is required for equipment installed outdoors, away from a structure. Free standing, open bottom design allows for mounting over top of existing equipment or as part of a new project. Suitable for a variety of uses including power distribution, controls, parking lot, campground, works yards etc.

Standard enclosure includes:

- Cross Brake Roof With Rain Gutter
- Open Bottom
- Hinged Doors In Master/Slave Configuration With Hidden Hinges
- No Centre Bar
- Stainless Steel, Pad lockable Handle
- Lifting Tabs
- Mechanical Door Stays
- Galvanized Steel Backpan
- Powder Coated ASA61 Grey

Painted Steel	H	W	D
K-DD-3R-S-484812	48	48	12
K-DD-3R-S-484818	48	48	18
K-DD-3R-S-484824	48	48	24
K-DD-3R-S-604812	60	48	12
K-DD-3R-S-604818	60	48	18
K-DD-3R-S-604824	60	48	24
K-DD-3R-S-606012	60	60	12
K-DD-3R-S-606018	60	60	18
K-DD-3R-S-606024	60	60	24
K-DD-3R-S-724812	72	48	12
K-DD-3R-S-724818	72	48	18
K-DD-3R-S-724824	72	48	24
K-DD-3R-S-726012	72	60	12
K-DD-3R-S-726018	72	60	18
K-DD-3R-S-726024	72	60	24
K-DD-3R-S-726030	72	60	30
K-DD-3R-S-727212	72	72	12
K-DD-3R-S-727224	72	72	24
K-DD-3R-S-727230	72	72	30
K-DD-3R-S-846024	84	60	24
K-DD-3R-S-846030	84	60	30
K-DD-3R-S-847224	84	72	24
K-DD-3R-S-847230	84	72	30
K-DD-3R-S-848424	84	84	24
K-DD-3R-S-848430	84	84	30



Padmount - Freestanding


CSA 3R rated stainless steel enclosure, used when a degree of protection is required for equipment installed outdoors, away from a structure. Free standing, open bottom design allows for mounting over top of existing equipment or as part of a new project. Suitable for a variety of uses including power distribution, controls, marina, parking lot, campground, works yards etc.

Standard enclosure includes:

- Cross Brake Roof With Rain Gutter
- Open Bottom
- Hinged Doors In Master/Slave Configuration With Hidden Hinges
- No Centre Bar

- Stainless Steel, Pad lockable Handle
- Lifting Tabs
- Mechanical Door Stays
- Galvanized Steel Backpan
- Powder Coated ASA61 Grey

Stainless Steel	H	W	D
K-DD-3R-SS-484812	48	48	12
K-DD-3R-SS-484818	48	48	18
K-DD-3R-SS-484824	48	48	24
K-DD-3R-SS-604812	60	48	12
K-DD-3R-SS-604818	60	48	18
K-DD-3R-SS-604824	60	48	24
K-DD-3R-SS-606012	60	60	12
K-DD-3R-SS-606018	60	60	18
K-DD-3R-SS-606024	60	60	24
K-DD-3R-SS-724812	72	48	12
K-DD-3R-SS-724818	72	48	18
K-DD-3R-SS-724824	72	48	24
K-DD-3R-SS-726012	72	60	12
K-DD-3R-SS-726018	72	60	18
K-DD-3R-SS-726024	72	60	24
K-DD-3R-SS-726030	72	60	30
K-DD-3R-SS-727212	72	72	12
K-DD-3R-SS-727224	72	72	24
K-DD-3R-SS-727230	72	72	30
K-DD-3R-SS-846024	84	60	24
K-DD-3R-SS-846030	84	60	30
K-DD-3R-SS-847224	84	72	24
K-DD-3R-SS-847230	84	72	30
K-DD-3R-SS-848424	84	84	24
K-DD-3R-SS-848430	84	84	30



DUAL ACCESS KIOSK- ALUMINUM - CSA 3R



Padmount - Freestanding

CSA 3R marine grade aluminum rated enclosure, used when a degree of protection is required for equipment installed outdoors, away from a structure. Free standing, open bottom design allows for mounting over top of existing equipment or as part of a new project. Inner divider is adjustable to allow for a variety of configurations based on application. Suitable for a variety of uses including power distribution, controls, marina, parking lot, campground, works yards etc.

Standard enclosure includes:

- Adjustable Inner Divider
- Galvanized Steel Backpans In Both Sides
- Cross Brake Roof With Rain Gutter

- Open Bottom
- Hinged Door With Hidden Hinges
- Stainless Steel, Pad lockable Handle
- Lifting Tabs
- Mechanical Door Stay
- Powder Coated ASA61 Grey



SECTION B-B

Aluminum	H	W	D
KD-SD-3R-A-482424	48	24	24
KD-SD-3R-A-483024	48	30	24
KD-SD-3R-A-483624	48	36	24
KD-SD-3R-A-483636	48	36	36
KD-SD-3R-A-603624	60	36	24
KD-SD-3R-A-603636	60	36	36
KD-SD-3R-A-723624	72	36	24
KD-SD-3R-A-723636	72	36	36


Padmount - Freestanding

CSA 3R rated steel enclosure, used when a degree of protection is required for equipment installed outdoors, away from a structure. Free standing, open bottom design allows for mounting over top of existing equipment or as part of a new project. Inner divider is adjustable to allow for a variety of configurations based on application. Suitable for a variety of uses including power distribution, controls, parking lot, campground, works yards etc.

Standard enclosure includes:

- Adjustable Inner Divider
- Galvanized Steel Backpans In Both Sides
- Cross Brake Roof With Rain Gutter

- Open Bottom
- Hinged Door With Hidden Hinges
- Stainless Steel, Pad lockable Handle
- Lifting Tabs
- Mechanical Door Stay
- Powder Coated ASA61 Grey



Painted Steel	H	W	D
KD-SD-3R-S-482424	48	24	24
KD-SD-3R-S-483024	48	30	24
KD-SD-3R-S-483624	48	36	24
KD-SD-3R-S-483636	48	36	36
KD-SD-3R-S-603624	60	36	24
KD-SD-3R-S-603636	60	36	36
KD-SD-3R-S-723624	72	36	24
KD-SD-3R-S-723636	72	36	36


DUAL ACCESS KIOSK- STAINLESS STEEL - CSA 3R

Padmount - Freestanding

CSA 3R rated stainless steel enclosure, used when a degree of protection is required for equipment installed outdoors, away from a structure. Free standing, open bottom design allows for mounting over top of existing equipment or as part of a new project. Inner divider is adjustable to allow for a variety of configurations based on application. Suitable for a variety of uses including power distribution, controls, marina, parking lot, campground, works yards etc.

Standard enclosure includes:

- Adjustable Inner Divider
- Galvanized Steel Backpans In Both Sides
- Cross Brake Roof With Rain Gutter
- Open Bottom
- Hinged Door With Hidden Hinges
- Stainless Steel, Pad lockable Handle
- Lifting Tabs
- Mechanical Door Stay
- Powder Coated ASA61 Grey



Stainless Steel	H	W	D
KD-SD-3R-SS-482424	48	24	24
KD-SD-3R-SS-483024	48	30	24
KD-SD-3R-SS-483624	48	36	24
KD-SD-3R-SS-483636	48	36	36
KD-SD-3R-SS-603624	60	36	24
KD-SD-3R-SS-603636	60	36	36
KD-SD-3R-SS-723624	72	36	24
KD-SD-3R-SS-723636	72	36	36

DUAL ACCESS DOUBLE DOOR KIOSK- ALUMINUM - CSA 3R



Padmount - Freestanding

CSA 3R marine grade aluminum rated enclosure, used when a degree of protection is required for equipment installed outdoors, away from a structure. Free standing, open bottom design allows for mounting over top of existing equipment or as part of a new project. Inner divider is adjustable to allow for a variety of configurations based on application. Suitable for a variety of uses including power distribution, controls, marina, parking lot, campground, works yards etc.

Standard enclosure includes:

- Adjustable Inner Divider
- Galvanized Steel Backpans In Both Sides
- Cross Brake Roof With Rain Gutter

- Open Bottom
- Hinged Door With Hidden Hinges
- Stainless Steel, Pad lockable Handle
- Lifting Tabs
- Mechanical Door Stay
- Powder Coated ASA61 Grey



Aluminum	H	W	D
KD-DD-3R-A-484824	48	48	24
KD-DD-3R-A-604824	60	48	24
KD-DD-3R-A-604836	60	48	36
KD-DD-3R-A-606024	60	60	24
KD-DD-3R-A-606036	60	60	36
KD-DD-3R-A-724824	72	48	24
KD-DD-3R-A-724836	72	48	36
KD-DD-3R-A-724848	72	48	48

DUAL ACCESS DOUBLE DOOR KIOSK- PAINTED STEEL - CSA 3R


Padmount - Freestanding

CSA 3R rated steel enclosure, used when a degree of protection is required for equipment installed outdoors, away from a structure. Free standing, open bottom design allows for mounting over top of existing equipment or as part of a new project. Inner divider is adjustable to allow for a variety of configurations based on application. Suitable for a variety of uses including power distribution, controls, parking lot, campground, works yards etc.

Standard enclosure includes:

- Adjustable Inner Divider
- Galvanized Steel Backpans In Both Sides
- Cross Brake Roof With Rain Gutter

- Open Bottom
- Hinged Door With Hidden Hinges
- Stainless Steel, Pad lockable Handle
- Lifting Tabs
- Mechanical Door Stay
- Powder Coated ASA61 Grey



Painted Steel	H	W	D
KD-DD-3R-S-484824	48	48	24
KD-DD-3R-S-604824	60	48	24
KD-DD-3R-S-604836	60	48	36
KD-DD-3R-S-606024	60	60	24
KD-DD-3R-S-606036	60	60	36
KD-DD-3R-S-724824	72	48	24
KD-DD-3R-S-724836	72	48	36
KD-DD-3R-S-724848	72	48	48

DUAL ACCESS DOUBLE DOOR KIOSK- STAINLESS STEEL - CSA 3R


Padmount - Freestanding

CSA 3R rated stainless steel enclosure, used when a degree of protection is required for equipment installed outdoors, away from a structure. Free standing, open bottom design allows for mounting over top of existing equipment or as part of a new project. Inner divider is adjustable to allow for a variety of configurations based on application. Suitable for a variety of uses including power distribution, controls, marina, parking lot, campground, works yards etc.

Standard enclosure includes:

- Adjustable Inner Divider
- Galvanized Steel Backpans In Both Sides
- Cross Brake Roof With Rain Gutter

- Open Bottom
- Hinged Door With Hidden Hinges
- Stainless Steel, Pad lockable Handle
- Lifting Tabs
- Mechanical Door Stay
- Powder Coated ASA61 Grey



Stainless Steel	H	W	D
KD-DD-3R-SS-484824	48	48	24
KD-DD-3R-SS-604824	60	48	24
KD-DD-3R-SS-604836	60	48	36
KD-DD-3R-SS-606024	60	60	24
KD-DD-3R-SS-606036	60	60	36
KD-DD-3R-SS-724824	72	48	24
KD-DD-3R-SS-724836	72	48	36
KD-DD-3R-SS-724848	72	48	48

DISTRIBUTION KIOSK - CSA 3R

Distribution kiosk used to supplement an existing service. Designed to add a point of disconnect separate from the main service. Full dead front covers and connections included for ease of installation. Suggested use: parking lots, playing fields, etc.

RATINGS: CSA Certified 3R Enclosure

Standard enclosure includes:

- Fully welded CSA construction
- Build from Marine Grade Aluminum
- Designed for Pad Mount Applications
- Stainless Steel 3-Point Handle c/w Dual Padlock Provision
- Terminal blocks for customer connection
- 21kA rated main breaker
- Dead front/touch safe interior
- Expansion space for additional controls/device

Options:

- Custom size enclosures
- Custom colour powder coating
- Different distribution ratings
- Convenience receptacle
- Light fixture
- Climate control
- Meter base
- Insulation



CAT No:	MAIN BREAKER	PHASE	VOLTAGE FOR 21kA	SIZES
KDP1-A-060	60A	1	120/240V	48 x 25 x 16
KDP1-A-100	100A	1	120/240V	48 x 25 x 16
KDP1-A-150	150A	1	120/240V	48 x 25 x 16
KDP1-A-200	200A	1	120/240V	48 x 25 x 16
KDP3-A-060	60A	3	120/208V	48 x 25 x 16
KDP3-A-100	100A	3	120/208V	48 x 25 x 16
KDP3-A-150	150A	3	120/208V	48 x 25 x 16
KDP3-A-200	200A	3	120/208V	48 x 25 x 16

*For custom options, speak with your sales representative.

DISTRIBUTION KIOSK BUILDUP - CSA 1, 3R, 3, 4, or 4X RATED

Code offers pre-assembled, fully wired and certified enclosures. We can assist in the design and quotation for a number of applications; distribution, service entrance, lighting control, pump control, motor control or as a mid-run disconnection and DCFC service. We offer one offs and are able to take on complete projects. All products use fully listed components and are shipped from factory CSA or ETL listed as an assembly. We can quote from engineered designs or work with you to find a custom solution.

RATINGS: CSA Certified 3R Enclosure & SPE-1000 inspection included

- CSA construction
- Built from your choice of material (aluminum, steel or stainless)
- Free-standing or wall mounted applications
- Brands are interchangeable to match your specifications
- Custom sizes
- Custom material
- Custom layout (subject to approval)




**For custom options, speak with your sales representative.*

KIOSKS - FREESTANDING



ENCLOSURE QUICK ORDER FORM



MATERIAL: ALUMINUM GALVANIZED POWDER COATED STEEL STAINLESS

CLASSIFICATION: CSA 1 CSA 3 or 3R CSA 4 CSA 4X

DIMENSIONS: (H) HEIGHT _____ (W) WIDTH _____ (D) DEPTH _____

STYLE: HINGED or SCREW COVER FREE STANDING or WALL MOUNTABLE

FINISH: RAW METAL POWDER COATED

POWDER COAT COLOUR: ASA61 Grey COLOUR RAL# _____

CUT OUTS: NO YES - ADD TO DRAWING ABOVE

ACCESSORIES: BACK PAN KEY LOCK TAMPER PROOF SCREWS

QUANTITY: _____ **REQUESTED BY DATE:** _____ **DRAWING ATTACHED:** ATTACHED

NOTES:

10 THE TOP REASONS WHY CUSTOMERS CHOOSE CODE



Made in Canada



Quick Delivery
Direct to site & feed job



C.S.A. Approved



Stocked Locally, Onsite



Connector Plates - SPYDERLOK
Quick & easy to install



Materials
Aluminum, Pre-Galv, Stainless, Paint Ready



Smooth Edges
Free from burrs



Back Welding for Strength



Custom Fabrication
To meet all unique onsite applications





Technical Support




REV 09/27/21





Cable Tray




Wire Mesh



Custom Fabrication



Powder Coating



Accessories



CSA Certified



C3 Planters



Wired Products

548 Nicola Place
Port Coquitlam, BC
Canada, V3B 0K4

Tel: 604-540-0011
Fax: 604-540-0033
sales@codeelectric.com
www.codeelectric.com